

ANEXO III. Artículos utilizados para elaborar la base de datos

1. Ahluwalia N, Lamni-Keefe CL, Haley NR, Beard JL. Day-to-day variation in iron-status indexes in elderly women. *Am J Clin Nutr* 1993; 57: 414-419
2. Antonsen S. The estimation of biological and preanalytical variations of inflammation markers. *San J Clin Lab Invest* 1994; 54 (Sup 219): 55-59
3. Balchin ZE, Moss PA, Fraser CG. Biological variation of urinary oxalate in different specimen types.. *Ann Clin Biochem* 1991; 28: 622-623
4. Beck Jensen JE, Sorensen HA, Kollerup G, Jensen LB, Sorensen OH. Biological variation of biochemical bone markers. *Scan J Clin Lab Invest* 1994; 54 (Sup 219):36-39
5. Beck Jensen et al.. A single measurement of biochemical markers of bone turnover has limited utility in the individual person.. *Scan J Clin Lab Invest* 1997; 57: 351-360
6. Bingham SA, Williams R, Cole TJ, Price CP, Cummings JH. Reference values for analytes of 24-h urine collections know to be complete.. *Ann Clin Biochem* 1988; 25: 610-619.
7. Biosca C, Ricós C, Jiménez CV, Lauzurica R, Galimany R. Model for establishing variation in non-healthy situations: renal posttransplantation data. *Clin Chem* 1997; 43:11 2206-2208
8. Bookstein MS, Gidding S, Donovan M, Smith F. Day-to-day variability of serum cholesterol, triglyceride, and high-density lipoprotein cholesterol levels. *Arch Intern Med* 1990; 150: 1653-1657
9. Borel MJ, Smith SM, Derr J, Beard JL. Day-to-day variation in iron-status indices in healthy men and women. *Am J Clin Nutr* 1991; 54: 729-735
10. Boyle CEL, Cummings ST, Fraser CG. Amylase versus lipase activity assays: considerations from biological variation.. *Ann Clin Biochem* 1987; 24 (suppl1):37-38
11. Brock A. Immunoreactive plasma cholinesterase substance concentration, compared with cholinesterase activity concentration and albumin: inter- and intra- individual variations in a healthy population group. . *J Clin Chem Clin Biochem* 1990; 28: 851-856
12. Brock DA, Gantzer ML. Intraindividual variation in 24-hr creatinine excretion and 24-hr urinary volume. *Clin Chem* 1987; 33: 1033.
13. Brown Spencer A., Boerwinkle Eric, Kashanian Fran k., Swanson Nancy, and patsch Wolfgang. Variation in concentrations of lipids, lipoprotein lipids, and apolipoproteins A-I and B in plasma from healthy women.. *Clin Chem* 1990; 36: 207-210
14. Browning MCK. Biological variation of the breast-tumour marker CA 15 3: implications for necessary standards of performance and the interpretation of results . *Ann Clin Biochem* 1987; 24 (suppl): 35s-38s
15. Browning MCK. Analytical goals for quantities used to assess thyrometabolic status. *Ann Clin Biochem* 1989;26:1-12
16. Browning MCK, McFarlane NP. Objective interpretation of results for tumour marker. *J Nucl Med Allied Sci* 1990; 34(suppl) 89s-91s
17. Browning MCK, Ford RP, Callaghan SJ, Fraser CG. Intra- and interindividual biological variation of five analytes used in assessing thyroid function: implications for necessary standards of performance and the interpretation of results. *Clin Chem* 1986; 32: 962-966.
18. Browning MCK, McFarlane NP, Horobin JM, Preece PE, Wood RAB. Evaluation of the comparative clinical utility of CA15,3 and mucinous carcinoma-associated antigen (MCA) in the management of breast carcinoma. *Ann Clin Biochem* 1988; 25 (suppl): 54s-56s
19. Browning Margaret C. K., Bennet William M., Kirkaldy Alison J., and Jung Roland T.. Intra-individual variation of thyroxin, triiodothyronine, and thyrotropin in treated hypothyroid patient: implications for monitoring replacement therapy.. *Clin Chem* 1988; 34: 695-699
20. Carstensen E, Yudkin S. Platelet catecholamine concentrations after short-term stress in normal subjects. *Clin Sci* 1994; 86: 35-41
21. Chambless LL E, McMahon RP, Brown SA, Patsch W, Heiss G, Shen Y. Short-term intraindividual variability in lipoprotein measurements: the atherosclerosis risk communities (ARIC) study . *Am J Epidemiol* 1992; 136: 1069-1081
22. Chambless LI E, McMahon R, Wu K, Folsom A, Finch A, Shen Y. Short-term intraindividual variability in hemostasis factors. The ARIC study. *Ann Epidemiol* 1992; 2: 723-733
23. Choudhury Naswrin, Lyons Wall Phillippa M., Stewart Truswell A.. Effect of time between measurements on within-subject variability for total cholesterol and high-density lipoprotein cholesterol in women. *Clin Chem* 1994;40:710-715
24. Clark GH, Fraser CG. Biological variation of acute phase proteins. *Ann Clin Biochem* 1993; 30: 373-376
25. Cobbaert C, Arentsen JC, Mulder P, Hoogerbrugge N, Lindemans J. Significance of various parameters derived from biological variability of lipoproteina (a), homocysteine, cysteine and total antioxidant status. *Clin Chem* 1997;43:1958-1964
26. Costongs GMPJ, Bas BM, Janson PCW. Short-term and long term intra-individual variations and critical differences of coagulation parameters. *J Clin Chem Clin Biochem* 1985; 23: 405-410.
27. Costongs GMPJ, Janson PCW, Bas BM. Short-term and long-term intra-individual variations and critical differences of clinical chemical laboratory parameters. *J Clin Chem Clin Biochem* 1985; 23: 7-16.
28. Costongs GMP, Janson PCW, Bas BM, Hermans J, Brombacher PJ, Wersch JWJ. Short-term and long-term intra-individual variations and critical differences of haematological laboratory parameters. *J Clin Chem Clin Biochem* 1985; 23: 69-76.
29. Covas MI, Coca L, Ricós C, Marrugat J. Biological variation of superoxide Dismutase in erythrocytes and Glutathione peroxidase in whole blood. *Clin Chem* 1997 43:10 1991-1993
30. Cummings ST, Fraser CG. Total amylase and pancreatic isoamylase in serum and urina:considerations from data on biological variation. *Ann Clin Biochem* 1989; 26: 335-340
31. Davie SJ, Whiting KL, Gould BJ. Biological variation in glycated proteins. *Ann Clin Biochem* 1993; 30: 260-264
32. Demacker PN, Schade RW, Jansen RT, Van't Laar AV. Intra-individual variation of serum cholesterol, triglycerides and high density lipoprotein cholesterol in normal humans. *Atherosclerosis* 1982; 45: 259-266

33. Djurhuus MS, Gram J, Hyltoft Petersen P, Klitgaard NAH, Bollerslev J Beck-Nielsen H. Biological variation of serum and urinary magnesium in apparently healthy males. *Scand J Clin Lab Invest* 1995; 55: 549-558
34. Dot D, Miró J, Fuentes X. Within-Subject biological variation of hematological quantities and analytical goals. *Arch Pathol Lab Med* 1992; 116: 825-826
35. Dot D, Miró J, Fuentes-Arderiu X. Within-subject and between-subject biological variation of prothrombin time and activated partial thromboplastin time. *Ann Clin Biochem* 1992; 29: 422-425
36. Dot D, Miró J, Fuentes-Arderiu X. Biological variation of the leukocyte differential count quantities. *Scan J Clin Lab Invest* 1992; 952: 607-611
37. Eckfeldt J, Chambless LI, Shen Y. Short-term, Within-Person Variability in Clinician Chemistry test results. *Arch Pathol Lab Med* 1994; 118: 496-500
38. Elin Ronald J., Hosseini Jeanette M., and Ruddel Mark. Intraindividual variability of blood magnesium parameters with time.. *Clin Chem* 1989; 35: 1114-1115
39. Elveback LR, Weidman WH, Ellefson RD. Day-to-day variability and Analytic error in determinations of lipids in children. *Mayo Clin Proc* 1980; 55:267-269
40. Feldt-Rasmussen U, Petersen PH, Blaabjerg O and Horder M. Long-term variability in serum thyroglobulin and thyroid related hormones in healthy subjects. *Acta Endocrinologica* 1980;95: 328-334
41. Fogarty Y, Fraser CG, Browning MCK. Intra- and inter-individual variation of serum angiotensin converting enzyme:clinical implications.. *Ann Clin Biochem* 1989; 26: 201-202
42. Ford RP, Mitchell PEG, Fraser CG. Desirable performance characteristics and clinical utility of immunoglobulin and light-chain assays derived from data on biological variation. *Clin Chem* 1988; 34: 1733-1736.
43. Ford RP, Mitchell PEG, Fraser CG. The clinical utility of κ and λ light-chain assays: considerations from biological variation data . *Ann Clin Biochem* 1988;sp142S-143S
44. Ford RP. Essential data derived from biological variation for establishment and use of lipid analyses.. *Ann Clin Biochem* 1989; 26: 281-285
45. Fraser CG, Hearne CR. Components of variance of some plasma constituents in patients with myocardial infarction. *Ann Clin Biochem* 1982; 19:432-434
46. Fraser CG, Williams P . Short-term biological variation of plasma analytes in renal disease. *Clin Chem* 1983;29:508-510
47. Fraser CG, Hearne CR. Components of variance of some plasma constituents in patients with myocardial infarction. *Ann Clin Biochem* 1982;19: 431-434
48. Fraser CG, Wilkinson SP, Neville RG, Knox JDE, King JF, MacWalter RS. Biologic variation of common hematologic laboratory quantities in the elderly. *Am J Clin Pathol* 1989; 92: 465-470
49. Fraser Callum G., Cummings Steven T., Wilkinson Stephen P., Neville Ronald G., Knox James D. E., Ho Olga, and MacWalter Ronald S.. Biological variability of 26 clinical chemistry analytes in elderly people.. *Clin Chem* 1989; 35: 783-786
50. Friedlander Y, Kark JD and Stein Y. Variability of Plasma Lipids and Lipoproteins: The jerusalem Lipid Research Clinic Study. *Clin Chem* 1985;31: 1121-1126
51. Gallacher RE, Browning MCK, Fraser CG, Wilkinson SP, MacLennan WJ. A method for simultaneously estimating plasma, erythrocyte and leukocyte sodium, potassium and magnesium: reference values and considerations from biological variation data. *Clin Chem* 1987; 33: 1326-1330
52. Gallagher SK, Johnson LK, and Milne DB. Short-term and long-term variability of indices related to nutritional status. I: Ca, Cu, Fe, Mg, and Zn.. *Clin Chem* 1989; 35: 369-373
53. Gallagher SK, Johnson AK, Milne DB. Short and long term variability of selected indices related to nutritional status. II. Vitamins, lipids, and protein indices.. *Clin Chem* 1992; 38: 1449-1453
54. Garg UC, Zheng ZJ, Folsom AR, Moyer YS, Tsai MY, McGovern P, Eckfeldt JH . Short-term and long-term variability of plasma homocysteine measurement.. *Clin Chem* 1997; 43: 141-145
55. Garnero P, Delmas PD. Variability and response of urinary resorption markers to hormone replacement therapy . *J Bone Mineral Res* 199;14:470-1
56. Gerdes AM, Hultoft Petersen P, Horder M, Bonnevie-Nielsen V.. Separate estimation of biological and analytical variance components when quantities and reagents are unstable.. *Scand J Clin Lab Invest* 1995; 55: 523-528
57. Giles L, Smicklas-Wright H, Fosmire G, Derr J. Variations in plasma zinc in older men and women. *Biological Trace Element Research* 1994; 41: 235-243
58. Gion M, Cappelli G, Mione R, Pistorello M, Meo S, Vignati G, Fortunato A, Saracchini S, Biasioli R, Giulisano M . Evaluation of critical differences of CEA and CA 15.3 levels in serial samples from patients operated for breast cancer. *Int J Biol Markers* 1994; 9:135-139
59. Gion M, Cappelli G, Mione R, , Vignati G, Fortunato A, Saracchini S, Biasioli R, Giulisano M . Variability of tumor markers in the follow-up of patients radically resected for breast cancer. *Tumor Biol* 1993; 14: 325-333
60. Godslang IF. Intra-individual variation: significant changes in parameters of lipid and carbohydrate metabolism in the individual and intra-individual variation in different test populations. *Ann Clin Biochem* 1985; 22: 618-624
61. González-Revaldería J., García-Bermejo S., Menchén-Herreros A., and Fernández-Rodríguez E.. Biological variation of Zn, Cu, and Mg in serum of healthy subjects.. *Clin Chem* 1990; 36:2140-2141
62. González-Revaldería J., García-Bermejo S., Menchén-Herreros A., and Fernández-Rodríguez E.. Towards narrower analytical goals in routine laboratory work.. *Clin Chem* 1991; 37: 596.
63. Gowans EMS, Fraser CG. Biological variation in analyte concentrations in urine of apparently healthy men and women. *Clin Chem* 1987; 33: 847-850
64. Gowans EMS, Fraser G. Longer-term biological variation of commonly analyzed serum constituents. *Clin Chem* 1987;33: 717.
65. Gowans EMS, Fraser CG. Biological variation of serum and urine creatinine and creatinine clearance: ramifications for interpretation of results and patient care. *Ann Clin Biochem* 1988;25: 259-263
66. Gowans MS, FraserCG. Do biological- variation data shed light on the demise of some historical indices used to assess calcium homeostasis?. *Clin Chem* 1987;33:1267-1268

67. Hannon R, Blumsohn A, Naylor K, Eastell R. Response of biochemical markers of bone turnover to hormone replacement therapy: impact of biological variability. *J Bone & Mineral Res* 1998;13:1124-33
68. Harding PJ, Fraser CG. Biological variation of blood acid-base status: Consequences for analytical goal-setting and interpretation of results. *Clin Chem* 1987;33:1416-1418
69. Harris EK, Kanofsky P, Shakarji G and Cotlove E. Biological and analytic components of variation in long-term studies of serum constituents in normal subjects. *Clin Chem* 1970; 16: 1022-1027
70. Helander A, Vabö E, Levin K, Borg S. Intra- and interindividual variability of carbohydrate-deficient transferrin, G-glutamyltransferase, and mean corpuscular volume in teetotalers.. *CLIN CHEM* 1998; 44: 2120-2125
71. Hölzel WGE. Intra-individual variation of analytes in serum of patients with chronic liver diseases. *Clin Chem* 1987; 33: 1133-1136.
72. Hölzel WGE. Intra-individual variation of some analytes in serum of patients with insulin-dependent diabetes mellitus. *Clin Chem* 1987; 33: 57-61.
73. Hölzel WGE. Intra-individual variation of some analytes in serum of patients with chronic renal failure. *Clin Chem* 1987; 33:670-673.
74. Hölzel WGE. Influence of hypertension and antihypertensive drugs on the biological intra-individual variation of electrolytes and lipids in serum. *Clin Chem* 1988; 34: 1485-1488.
75. Hölzel WGE, Deschner W. Intra-individual variation of serum thyroxin and triiodothyronine in pregnancy. *Clin Chem* 1988; 34: 2063-2065.
76. Holzel et al.. Individual reference ranges of CA 15-3, MCA and CEA in recurrence of breast cancer.. *Scan J Clin Lab Invest* 1995;55(sup 221): 93-101
77. Howes LG, Krum H. Intra-individual variability of plasma cholesterol concentrations. *Clin Chem* 1988; 34: 1930-1931.
78. Howey JEA, Browning MCK, Fraser CG. Is early morning spot urinary albumin concentration the best means of estimating albuminuria? . *Ann Clin Biochem* 1987; 24 (Supp1): 127-128
79. Howey JEA, Browning MCK, Fraser CG. Assay of serum fructosamine that minimizes standardization and matrix problems: use to assess components of biological variation. *Clin Chem* 1987; 33: 269-272.
80. Howey JE, Browning MC, Fraser CG. Selecting the optimum specimen for assessing slight albuminuria, and a strategy for clinical investigation: novel uses of data on biological variation. *Clin Chem* 1987; 33:2034-2038
81. Hoyer K. Physiologic variation in the iron content of human blood serum . *Acta Med Scand* 1944; 119: 562-582
82. Huguet J, Fuentes-Arderiu X. Biological variation in the catalytic concentration of pancreatic alpha-amylase and triacylglycerol lipase in serum. *Scand J Clin Lab Invest* 1991; 51; 735-738
83. Huguet J, Fuentes-Arderiu X, Ferré C . Intraindividual Biological variation in the N-acetyl-beta-glucosaminidase/creatininum ratio for first morning urine.. *Clin Chem* 1989; 35: 1256.
84. Hyltoft Petersen P, Feldt-Rasmussen U, Horder M, Blaabjerg O, Thygesen K. Variability of plasma proteins according to molecular size. Long-term and short-term intra-individual variation. *Scan J Clin Lab Invest* 1981; 41: 143-150
85. Jahan A., Browning Margaret C. K., and Fraser C. G.. Desirable performance standards for assays of serum water and osmolality.. *Clin Chem* 1988; 34: 995.
86. Jensen JS. Intra-individual variation of overnight urinary albumin excretion in clinically healthy middle-aged individuals. *Clin Chim Acta* 1995; 243: 95-99
87. Jiménez CV . Usefulness of reference limits and evaluation of significant differences. An example of the biological variation of serum rheumatoid factors. *Ann Biol Clinique* 1994; 52: 529-533
88. Jiménez CV . Variabilidad biológica intraindividual de las magnitudes citohematológicas como objetivo de calidad analítica. *Quim Clin* 1992; 11: 147-150
89. Ju HS, Brown LB, Stringer MA, Leigh C, Scherrer C, Shepard K, Jenkins D, Knusden J, Cannon R. Comparison of analytical performance and biological variability of three bone resorption assays. *Clin Chem* 1997;43: 1570-1576
90. Juan-Pereira L. Variabilitat biológica intraindividual de les magnituds bioquímiques. Aplicacions clíniques.. Doctoral Thesis, Barcelona University 1989.
91. Juan-Pereira L., Navarro M. A., Roca M., Fuentes-Arderiu X.. Within-subject variation of thyroxin and triiodothyronine concentration in serum.. *Clin Chem* 1991; 37: 772-773
92. Juan-Pereira L., and Fuentes-Arderiu X. Intra-Individual Variation of the Electrophoretic Serum Protein Fractions. *Clin Chem* 1989;35:1544
93. Kafonek SD, Derby CA, Bachorik PS. Biological variability of lipoproteins and apolipoproteins in patient referred to a lipid clinic. *Clin Chem* 1992; 38: 864-872
94. Kafonek SD, Donovan L, Lovejoy KL, Bachorik PS. Biological variation of lipids and lipoproteins in fingerstick blood. *Clin Chem* 1996;42:2002-2008
95. Liappis N, Fuchs R, Reimnitz P. Physiologische Schwankungen der Konzentrationen von Gesamteiweiß, Transferrin, Haptoglobin, saurem alpha1-Glycokprotein, alpha2-Makroglobulin, Properdin Faktor B, C3-Komplement, C4-Komplement, IgA, IgG, IgM, alpha1-antitrypsin und Coeruloplasmin in Nüchternserum gesunder Männer.. *Arztl Lab* 1986; 32: 286-292.
96. Looker AC, Sempo CT, Liu K, Johnson CL, Gunter EW. Within-person variance in biochemical indicators of iron status: effects on prevalence estimates. *Am J Clin Nutr* 1990; 52: 541-547
97. Lux O, Naidoo D. The assesment of biological variation components of copper, zinc, and selenium. *J Nutr Biochem* 1995; 6: 43-47
98. Lux O, Naidoo D. Biological variation of beta-carotene. *Nutrition Research* 1994;14: 693-698
99. Maes Michael, Scharpé Simon, De Meester Ingrid, Goosens Philip, Wauters Annick, Neels Hugo, Verkerk Robert, De Meyer Frans, D'Hondt Peter, Peeters Dirk, Schotte Chris, and Cosyns Paul. Components of biological variation in Prolyl Endopeptidase and Dipeptidyl-Peptidase IV activity in plasma of healthy subjects. *Clin Chem* 1994;40:1686-1691
100. Macy EM, Hayes TE, Tracy RP. Variability in the measurements of C- reactive protein in healthy subjects: implications for reference intervals and epidemiological applications. *Clin Chem* 1997; 43: 52-58
101. Maes M, Cooreman W, Delanghe J, Scharpé S, Wauters A, Neels H, D'Hondt P, Peeters D, Cosyns P, Ranjan R, Bosmans E, DeMeyer F, Elkis H, Desnyder R. Components of biological variation in plasma haptoglobin:

- relationships to plasma fibrinogen and immune variables, including interleukin-6 and its receptor. *Clin Chim Acta*, 1995; 239: 23-35.
102. Maes M, Scharpé S, Cooreman W, Wauters A, Neels H, Verkerk R, De Meyer F, D'Hondt P, Peeters D, Cosyns P. Components of biological, including seasonal, variation in hematological measurements and plasma fibrinogen concentrations in normal humans. *Experientia* 1995; 51: 141-149
 103. Maes M, Scarpé S, De Meester I, Goossens P, Wauters A, Neels H, Werkerk H, De Meyer F, D'Hondt P, Peeters D, Schotte C, Cosyns P. Components of biological variation in protil endopeptidase and dipeptidyl-peptidase IV activity in plasma of healthy subjects. *Clin Chem* 1994; 40: 1686-1691
 104. Marcovina SM, Gaur VP, Albers JJ. Biological variability of cholesterol, Triglyceride, low-and high-density lipoprotein cholesterol, lipoprotein(a), and Apolipoproteins a-I and B. *Clin Chem* 1994; 40: 574-578
 105. Mella M, Salamone A, Spaggiardi G, Stella P, Guagnellini E. Reference values and biological variation for albumin, α_1 -microglobulin and beta2-microglobulin in urine specimens. *Biochem Clin* 1989; 13 (suppl): 89.
 106. Melzi d'Éril G, Anesi A, Rizzo V, Trotti R. Biological variation in Protein C, Protein S, and Antithrombin concentrations in plasma of healthy subjects. *Eur J Clin Chem Clin Biochem* 1997; 35 (4): 257-260
 107. Mjøs O, Rao S, Bjørn, Henden T, Thelle D, Førde O, Miller N. A longitudinal study of the biological variability of plasma lipoproteins in healthy young adults. *Atherosclerosis* 1979; 34:75-81
 108. Mogadam M, Ahmed S, Mensch A, Godwin I. Within-person fluctuations of serum cholesterol and lipoproteins. *Arch Inter Med* 1990; 150: 1645-1648.
 109. Mora J. Variabilitat intraindividual dels marcadors tumorals. Dotoral Thesis, Barcelona Autonomic University 1993
 110. Morris HA, Wishart JM, Horowitz M, Need AG, Nordin BEC. The reproducibility of bone-related biochemical variables in post-menopausal women.. *Ann Clin Biochem* 1990; 27: 562-568
 111. Moses GC and Henderson AR. Biological Variance of Total lactate Dehydrogenase and Its Isoenzymes in Human Serum. *Clin Chem* 1984; 30: 1737-1741.
 112. Moses GC, Tuckerman JF and Henderson AR. Biological Variance of Cholinesterase and 5'- Nucleotidase in Serum of Healthy Persons. *Clin Chem* 1986; 32: 175-177.
 114. Muusze J. Intra-individual-variability and retest-reability of lipoproteins in serum of coronary artery disease patients. *Ann Clin Biochem* 1987; 24(suppl):136
 115. Nazir DJ, Hill SA, McQueen MJ. Biological variation in Lipoprotein (a). *Clin Chem Lab Med* 1999;37:85
 116. Nicoll G. W., Struthers A. D., and Fraser C. G.. Biological variation of urinary magnesium.. *Clin Chem* 1991; 37: 1794-1795
 117. Olmedilla B, Granado F, Blanco I, Rojas-Hidalgo E. Seasonal and sex-related variations in six serum carotenoids, retinol, and α -tocopherol. *Am J Clin Nutr* 1994; 60: 106-110
 118. Ooi LSM, Panesar NS, Masarei JRL. Within- and between-subject variation in, and associations between, serum concentrations and urinary excretion of testosterone and estradiol in Chinese men. *Clin Chim Acta* 1995; 236: 87-92.
 119. Ortolá J., and Fuentes-Arderiu X. Intra and intraindividual biological variation of the serum concentration of phospholipids.. *Clin Chem* 1991; 37: 583
 120. Ortolá J. Castiñeira M. J., and Fuentes-Arderiu X. Biological variation data applied to the selection of serum lipid ratios used as risk markers of coronary heart disease.. *Clin Chem* 1992; 38: 56-59
 121. Pagani F and Panteghini M. Significance of Various Parameters Derived From Biological Variability for Lipid and Lipoprotein Analyses. *Clin Biochem* 1993; 26: 415-420
 122. Panteghini M, Pagani F. Biological variation of mioglobine in serum. *Clin Chem* 1997;43:2435
 123. Panteghini M, Pagani F. Pre-analytical, analytical and biological sources of variation of lipoprotein (a). *Eur J Clin Chem Clin Biochem* 1993; 31:23-28.
 124. Panteghini M, Pagani F. Biological variation in bone-derived biochemical markers in serum.. *Scan J Clin Lab Invest* 1995; 55: 609-616
 125. Panteghini M, Pagani F. Biological Variation of lactate and Piruvate in blood. *Clin Chem* 1993; 39: 908
 126. Panteghini M, Pagani F, Bonora R. Pre-analytical and biological variability of prostatic acid phosphatase and Prostate-Specific Antigen in serum from patients with prostatic pathology. *Eur J Clin Chem Clin Biochem* 1992; 30: 135-139
 127. Panteghini M, Pagani F. Biological variation in urinary excretion of deoxypridinoline. *Clin Chem* 1995;41: S200
 128. Petersen Niels Erik, Kongskov Larsen Leif, Nissen Henrik, Gryesten Jensen Lillian, Jensen Alice, Hyltoft Petersen Per, Horder Mogens, Gregersen Niels, and Kristiansen Karsten. Improved Rnase Protection assay for quantifying LDL-Receptor mRNA; estimation of analytical imprecision and biological variance in peripheral blood mononuclear cells.. *Clin Chem* 1995;41:1605-1613
 129. Phillipou George, and Phillips Patrick. Intraindividual Variation of Glycohemoglobin: Implications for Interpretation and Analytical Goals. *Clin Chem* 1993;39:2305-2308
 130. Pickup JF, Harris EK, Kearns M and Brown SS. Intra-individual Variation of Some Serum Constituents and its Relevance to Population-based Reference Ranges. *Clin Chem* 1977;23: 842-850
 131. Pilon VA, Howanitz PJ, Howanitz JH and Domres N. Day-to-Day Variation in Serum Ferritin Concentration in Healthy Subjects. *Clin Chem* 1981; 27: 78-82
 132. Plebani M, Giacomini A, Beghi L, De Paoli M, Roveroni G, Galleotti F, Corsini A, Fraser CG. Serum tumor markers in monitoring patients: interpretation of results using analytical and biological variation. *Anticancer Res* 1996;16:2249-2252
 133. Polo MJ, Ricós C, Juvany R, Catalán R. Aplicaciones de la variabilidad biológica de hormonas analizadas en orina. *Endocrinologia* 1992; 39: 181-184
 134. Polo MJ, Ricós C, Catalán R, Juvany R. Aplicación clínica de los datos de variabilidad biológica de las hormonas tiroideas. *Med Clin* 1992; 99: 529-531
 135. Popp-Snijders C, Lips P, Netelbos JC. Intra-individual variation in bone resorption markers in urine. *Ann Clin Biochem* 1996; 33: 347-348
 136. Ricós C, Arbós MA. Objetivos de calidad para las determinaciones de hormonas. *Endocrinologia* 1990; 37:230-233.
 137. Ricós C, Arbós MA. Quality goals for hormone testing.. *Ann Clin Biochem* 1990; 27: 353-358

138. Ricós C, Codina R. La variabilidad biológica intraindividual como objeto de calidad analítica.. *Rev Diag Biol* 1989; 38: 34-36
139. Ricós C, García-Arumí E, Rodríguez-Rubio R, Schwartz S. Eficacia de un programa interno de controlde calidad. *Quim Clin* 1986; 5: 159-165
140. Ricós C, Jiménez CV, Hernández A, Simón M, Perich C, Alvarez V, Minchinela J, Maciá M. Biological variation in urine samples used for analyte measurements. *Clin Chem* 1994; 40: 472-477
141. Rivera-coll A, Fuentes-Arderiu X, Díez-Noguera A. Circadian Rhythmic in serum concentrations of clinically important lipids. *Clin Chem* 1994; 40: 1549-1553
142. Roberts SL, McMurry MO, Connor WE. Does egg feeding (i.e. dietary cholesterol) affect plasma cholesterol levels in humans?. The results of a double blind study. *Am J Clin Nutr* 1981; 34:2092-2099
143. Rosano TG and Brown HH. Analytical and Biological Variability of Serum Creatinine and Creatinine Clearance: Implications for Clinical Interpretation. *Clin Chem* 1982; 28: 2330-2331.
144. Rosenson RS, Tangney CC, Hafner JM. Intraindividual variability of fibrinogen levels and cardiovascular risk profile. *Arterioscler Thromb* 1994;14: 1928-1932
145. Ross SM and Fraser CG. Biological variation of cardiac markers: analytical and clinical considerations. *Ann Clin Biochem* 1998;35: 80-84
146. Rossi E, Beilby JP, McQuillan BM, Hung J. Biological variability and reference intervals for total plasma homocysteine. *Ann Clin Biochem* 1999;36:56-61
147. Rotterdam EP, Katan MB, Knuiman JT. Importance of time interval between repeated measurements of total or high-density lipoprotein cholesterol when estimating an individual's baseline concentrations. *Clin Chem* 1987; 33: 1913-1915.
148. Schectman G, Patsches M, Sasse EA. Variability in cholesterol measurements: comparison of calculated and direct LDL cholesterol determinations . *Clin Chem* 1996; 42: 732-736
149. Shephard MDS, Penberthy LA and Fraser CG. Short- and Long-Term Biological variation in Analytes in Urine of Apparently Healthy Individuals. *Clin Chem* 1981; 27: 569-573
150. Simón M, Maciá M, Ribera C, Alvarez V, Hernández A, Minchinela J, Jimenez CV, Perich C, Ricós C. Objetivoc analíticos de calidad en las determinaciones de diversos constituyentes en orina. *Química Clínica* 1992;11(3):156-160
151. Sölétormos G, Schioler V, Nielsen D, Skovsgaard T, Domnerbowski P. Interpretation of Results for Tumor Markers on the Basis of Analytical Imprecision an biological variation. *Clin Chem* 1993; 39:2077-2083
152. Statland B, Winkel P; Bokelund H. Variation of serum iron concentration in young healthy men:within-day and day to day changes. *Clin Biochem* 1976; 9: 26-29
153. Statland BE, Winkel P and Killingsworth LM. Factors Contributing to Intra-Individual Variation of Serum Constituents: 6. Physiological Day-to-Day Variation in Concentrations of 10 Specific Proteins in Sera of Healthy Subjects. *Clin Chem* 1976; 22: 1635-1638
154. Statland BE, Winkel P, Harris SC, Burdsall MJ, Saunders AM. Evaluation of sources of variation of leukocyte counts and other hematologic quantities using very precise autoated analyzers. *Am J Clin Pathol* 1977; 69: 48-54
155. Statland BE, Winkel P. Relationship of day-to-day variation of serum iron concentrations to iron-binding capacity in healthy young women. *Am J Clin Pathol* 1977; 67:84-90
156. Stevenson HP, Leslie H, Sheridan B. Intra-individual variation in serum type I procollagen carboxy-terminal propeptide and type I collagen carboxy-terminal cross-linked telopeptide concentrations. *Ann Clin Biochem* 1997; 34: 317-318
157. Stolarek I, Howey JEA, Fraser CG. Biological variation of urinary N-acetyl-beta-D-glucosaminidase: practical and clinical implications.. *Clin Chem* 1989; 35: 560-563.
158. Thompson SG, Pocock SJ . The variability of serum cholesterol measurements: implications for screening and monitoring. *J Clin Epidemiol* 1990; 43: 783-789.
159. Thompson SG, Martin JC, Meade TW. Sources of variability in coagulation factor assays. *Thrombosis & Haemostasis* 1987; 58: 1073-1077
160. Valero-Politi J, Fuentes-arderiu X. Within-and Between-Subjet Biological Variations of Follitropin, Lutropin, Testosterone, and Sex-Binding Globulin in men. *Clin Chem* 1993; 39: 1723-1725
161. Van Steirteghem AC, Robertson EA and Young DS. Variance Components of Serum Constituents in Healthy Individuals. *Clin Chem* 1978; 24: 212-222
162. Vestergaard EM, Hein HO, Meyer H, Grunnet N, Jorgensen J, Wolf H, Orntoft TF. Reference values and biological variation for tumor marker Ca19-9 in serum for different Lewis and secretor genotypes and evaluation of secretor and Lewis genotyping in a caucasian population. *Clin Chem* 1999;45:54-61
163. Warnick GR, Albers JJ. Physiological and analytical variation in cholesterol and triglycerides. *Lipids* 1976; 11: 203-208
164. Wasenius A, Stugaard M, Otterstad JE, Froyshov D. Diurnal and monthly intra-individual variability of the concentration of lipids, lipoproteins and apoproteins. *Scand J Clin Lab Invest* 1990; 50: 632-642
165. Williams GZ, Widdowson GM and Penton J. Individual Character of Variation in Time-Series Studies of Healthy People II. Differences in Values for Clinical Chemical Analytes in Serum among Demographic Groups by Age and Sex. *Clin Chem* 1978; 24: 313-320
166. Winkel P, Statland BE and Bokelund H. Factors Contributing to Intra-Individual Variation of Serum Constituents: 5. Short-Term Day-to-Day and Within-Hour Variation of Serum Constituents in Healthy Subjects. *Clin Chem*1974; 20: 1520-1527
167. Winkel P, Statland BE, Bokelund H . The effects of time of venipuncture on variatin of serum constituents. *Am J Clin Pathol* 1975; 64: 433
168. Young DS, Harris EK and Cotlove E. Biological and Analytic Components of Variation in Long-Term Studies of Serum Constituents in Normal Subjects. *Clin Chem* 1971; 17: 403-410
169. Yüregir GT, Aksoy K, Arpacı A, Ünlükurt I, Tuli A. Studies on red cell glucose-6-phosphate dehydrogenase:evaluation of reference values. *Ann Clin Biochem* 1994; 31: 50-55

170. Ahokoski O, Virtanen A, Huupponene R, Scheinin H, Salminen E, Kairisto V, Ijrjala K. Biological day-to-day variation and day to day changes of testosterone, follicle stimulating hormone, luteinizing hormone and oestradiol17 β in healthy men. *Clin Chem Lab Med* 1998;36:485-491
171. Alvarez L, Ricós C, Peris C, Guañabens A, Monegal A, Pons F, Ballesta AM. Components of biological variation of biochemical markers of bone tumor in Paget disease. *Bone* 2000;26:571-576
172. Blomshon A, Hannon RA, Al-Dehaimi AW, Eastell R. Short-term intraindividual variability of bone turnover in healthy adults. XXIV European Symposium on Calcified Tissues. Aarhus, Denmark, May 1995
173. Garde AH, Hansen AM, Skovgaard LT, Christensen JM. Seasonal and biological variation of blood concentrations of total cholesterol, dehydroepiandrosterone sulfate, hemoglobin A1C, IgA, prolactin and free testosterone in healthy women. *Clin Chem* 2000; 46:551-559
174. Garde AH, Hansen AM, Skovgaard LT, Christensen JM. Seasonal and biological variation of blood concentrations of total cholesterol, dehydroepiandrosterone sulfate, hemoglobin A1C, IgA, prolactin and free testosterone in healthy women – Erratum. *Clin Chem* 2001;47:1878
175. González C, Cava f, Ayllon A, Guevara P, Navajo JA, Gonzalez-Buitrago JM. Biological variation of interleukin-1 α , interleukin-8 and tumor necrosis factor- α in serum of healthy individuals. *Clin Chem Lab med* 2001;39:836-841
176. Kikpatrick ES, Maylor PV, Keevil BG. Biological variation of glycated hemoglobin. *Diabetes care* 1998;21:251-264
177. McKinley MC, Strain JJ, McPartin J, Scott JM, McNulty H. Plasma homocysteine is not subject to seasonal variation. *Clin Chem* 2001;47:1430-1436
178. Pagani F, Panteghini M. Biological variation in serum activities of three hepatic enzymes. *Clin Chem* 2001;47:355-356
179. Sanberg S, Rustad P, Johannesen B, Stolness B. Within subject biological variation of reticulocytes and reticulocyte – derived parameters. *Eur J Haematology* 1998;61:42-48
180. Trapé J, Aliart , Brunet M, Dern E, Abadal , Queraltó JM. Reference change value for HbA_{1c} in patients with type 2 Diabetes Mellitus. *Clin Chem Lab Med* 2000;38:1283-1287
181. Tuxen MK, Solétormos G, Hyltoft Petersen P, Cioler V, Dombornovsky P. Assessment of biological variation and analytic imprecision of CA 125, CEA and TPA in relation to monitoring of ovarian cancer. *Gynecologic Oncology* 1999;74:12-22
182. Valero Politi, Guinard Salvá M, González Alvba JM. Annual rhythmic and non rhythmic biological variation of ionized magnesium calcium and ionized calcium concentrations. *Clin Chem Lab Med* 2001;39:45-49
183. Trapé J, Botargues JM, Porta F, Ricós C, Badal JM, Salinas R, Sala M, Roca A. Reference change value for α -fetoprotein and its application in early detection of hepatocellular carcinoma in patients with hepatic disease. *Clin Chem* 2003;49:1209-1211
184. Christgau S et al. Ligand assay 1998;3:200-205
185. Trapé J, Perez de Olaguer J, Buxó J. Application of reference change value for Cyfra 21.1, CEA and CA 125 in the follow-up of patients with NSCLC treated with chemotherapy. Presentation at the 15th IFCC-FESC European Congress of Clinical Chemistry and Laboratory Medicine. Barcelona 2003
186. Rohlfing C, Wiedmeyer HM, Little R, Grotta L, Tennill A, England J, Madsen R, Goldstein D. Biological variation of glycohemoglobin. *Clin Chem* 2002;48:1116-1118
187. Van der Merwe D, Ubbink JB, Delport R, Becker P, Dhath GS, Hayward Vermaak WJ. Biological variation in sweat sodium chloride conductivity . *Ann Clin Biochem* 2002;39:39-43
188. Moller HJ, Hyltoft Petersen P, Rejnmark L, Moestrup SK. Biological variation of soluble CD163. *Scand J Clin Lab Invest* 2003;63:15-22
189. Melzi d'Eril G, Anesi A, Maggiore M, Leoni V. Biological variation of serum amyloid A in healthy subjects. *Clin Chem* 2001;47:1498-1499
190. Meo S, Dittadi R, Gion M. Biological variation of vascular endothelial growth factor. *Clin Chem Lab Med* 2005;43:342-343
191. Hughes MD, Stein DS, Gundacker HM, Valentine FT et al. Within-subject variation in CD4 lymphocyte count in asymptomatic human immunodeficiency virus infection: implications for patient monitoring
192. Lux D, Naidoo O. Redox xxx
193. Albery R, Alberyova D. *Clin Chem* 1997;43:2441-2443. Biological variation of free and total carnitine in serum of healthy subjects
194. Solétormos G, Semjonov A, Sibley PEC, Lamerz R et al. Biological variation of total prostate-specific antigen: a survey of published estimates and consequences for clinical practice. *Clin Chem* 2005;51:1342-1351
195. Aarsand AK, Hyltoft Petersen P, Sandberg S. Within-subject biological variation of the urinary excretion of ALA, PBG and porphyrins in healthy volunteers. *Clin Chem* 2005;51 suppl:A-33
196. Alvarez C, Castilla JA, Martínez L, Ramírez JP et al. Biological variation of seminal parameters in healthy subjects. *Human reproduction* 2003;18:1-7
197. Cho Li Wei, Jayagopal V, Kilpatrick ES, Atkin SL. The biological variation of C-reactive protein in polycystic ovarian syndrome. *Clin Chem* 2006;51:1905-1907
198. Talkwar Ar, Azharuddin MK, Williamson C, Teoh YP et al. Biological variation of vitamins in blood of healthy individuals. *Clin Chem* 2005;51:2145-2150
199. Shand B. Biovariability of plasma adiponectin. *Clin Chem Lab Med* 2006;44:1264-1268
200. Van Hoydonck. Reproducibility of blood markers of oxidative status and endothelial function in healthy individuals. *Clin Chem* 2003;49:963-965
201. Trapé J, Perez de Olaguer J, Buxó J, López L. Biological variation of tumor markers and its application in the detection of disease progression in patients with non-small cell lung cancer. *Clin Chem* 2005;51:219-222
202. Browne RW, Koury ST, Marion S, Willding G et al. Accuracy and biological variation of human serum paraoxonase I activity and polymorphism (Q192R) by kinetic enzyme assays. *Clin Chem* 2007;53:310-317
203. Bandaranayake N, Ankrah-Tetteh T, Wijeratne S, Swaminathan R. Intraindividual variation in creatinine and cystatin C. *Clin Chem Lab Med* 2007;45:1237-1239
204. Reclus GJ, Tanyalcin T, Pass KA. Estimation of the biological variation of glucose 6-phosphate dehydrogenase in dried blood spots. *Accreditation and quality assurance* 2006;11:2-4

205. Melzi d'Eril G. Biological variation of N-Terminal Pro Brain Natriuretic Peptide in healthy individuals. *Clin Chem* 2003;49:1554-1555
206. Pagani F. Biological variation in serum concentrations of N-Terminal pro-brain natriuretic peptide (NT-proBNP) . *Clin Chem* 2003;49:A34
207. Jansen E, Hyltoft Petersen P, Blaabjerg O, Hegedüs L. Biological variation of thyroid autoantibodies and thyroglobulin. *Clin Chem Lab Med* 2007;45:1058-1064
208. Dittadi R, Meo S, Gion M. Biological variation of plasma chromogranin A. *Clin Chem Lab Med* 1004;42:109-110
209. Ankrah-Tetteh T, Wijeratne S, Swaminathan R. Intraindividual variation in serum thyroid hormones, parathyroid hormone and insulin-like growth factor-1. *Ann Clin Biochem* 2008;45:167-169
210. Dednam M, Vorster BC, Ubbink JB. Biological variation of myeloperoxidase. *Clin Chem* 2008;54:223-224
211. Dittadi R, Peloso L, Gion M. Witin-subject biological variation in disease: the case of tumour markers. *Ann Clin Biochem* 2008;45:226-228
212. Wu AHB, Lu QA, Todd J, Moecks J et al. Short- and longterm biological variation in cardiac Troponin I measured with a high sensitive assay: implications for clinical practice. *Clin Chem*. 2009;55:52-58
213. Dittadi R, Gelisio P, Rossi L, Frigato F et al. Biological variability evaluation and comparison of three different methods for C-peptide measurement. *Clin Chem Lab Med* 2008;46:1480-1482
214. Corte Z, Venta R. Biological variation of free plasma amino acids in healthy individuals. *Clin Chem Lab Med* 2010;48(1):99-104
215. Desmeules P, Cousineau J, Allard P. Biological variation of glycated haemoglobin in a paediatric population and its application to calculation of significant change. *Ann Clin Biochem* 2010;47:35-38.
216. Andersen TB, Erlandsen EJ, Frokiaer J, Eskild-Jensen A, Brochner-Mortensen J. Comparison of within and between-subject variation in serum cystatin C and serum creatinine in children aged 2-13 years. *Scand J Clin Lab Invest* 2010; 70: 54-59
217. Vasile VC, Saenger AK, Kroning JM Jaffe AS. Biological and analytical variability of a novel high-sensitivity cardiac troponin T assay. *Clin Chem* 2010;56(7):1086-1090
218. Nguyen, Nelson A, Howe CJ, Seibel MJ, Baxter RC , Handelsman DJ, Kazlauskas R, Ho KK. Within-Subject variability and analytical imprecision of Insulin like growth factor axis and collagen markers: implications for clinical diagnosis and doping tests. *Clinical Chemistry* 2008; 54(8):1268–1276
219. Trapé J, Franquesa J, Sala M, Domenech M, Montesinos J, Catot S, Buxó J, Casado E, Fígols C, Harillo S, Galobart J, Bella M. Determination of biological variation of α -fetoprotein and choriogonadotropin (β chain) in disease-free patients with testicular. *Clin Chem Lab Med* 2010; 48:1799-1801
220. Cembrowski G, Tran DV, Higgins TN. The use of serial patient blood gas, electrolyte and glucose results to derive biological variation: a new tool to assess the acceptability of intensive care unit testing. *Clin Chem Lab Med* 2010; 48:1447-1454
221. Reinhard M, Erlandsen EJ, Randers E. Biological variation of cystatin C and creatinine. *Scand J Clin Lab Invest* 2009;69:831-836
222. Bandaranayake N, Ankrah-Tetteh T, Wijeratne S, Swaminathan R. Intra-individual variation in creatinine and cystatin C. *Clin Chem Lab Med* 2007;45:1237-1239
223. Delanaye P, Cavalier E, Depas G, Chapelle JP, Krzesinski JM. New data on the intraindividual variation of cystatin C. *Nephron Clin Pract* 2008;108:c246-c248
224. Toffaletti J, McDonnell EH. Variation of serum creatinine, cystatin C and creatinine clearance tests in persons with normal renal function. *Clin Chim Acta* 2008;395:115-119
225. Cheuvront SN, Ely BR, Kenefick RW, Sawka MN. Biological variation and diagnostic accuracy of dehydration assessment markers. *Am J Clin Nutr* 2010;92:565-573
226. Carlsen S, Petersen PH, Skeie S, Skadberg O, Sandberg S. Within subject biological variation of glucose and HbA1c in healthy persons and in type 1 diabetes patients. *Clin Chem Lab Med* 2011; 49(9):1501-1507
227. Frankestenin L, Wu AHB, Hallermayer K, Wians FH, Giannitsis E, Katus HA. Biological variation and Reference Value of high-sensitivity Troponin T in healthy individuals during short and intermediate follow-up periods. *Clin Chem* 2011; 57 (7):1068-1071
228. Concolino P, Mello E, Minucci A, Zuppi C, Capoluongo E. Biologic Variation of a novel cardiac Troponin I assay. *Clin Chem* 2011; 57 (7):1080-1081
229. Braga F, Dolci A, Montagnana M, Pagani F, Paleari R, Guidi GC, Panteghini M. Reevaluation of biological variation of glycated hemoglobin (HbA1c) using an accurately designed protocol and an assay traceable to the IFCC reference system. *Clin Chim Acta* 2011;412:1412-1416
230. Viljoen A, Singh DK, Twomey PJ and Farrington K. Analytical quality goals for parathyroid hormone based on biological variation. *Clin Chem Lab Med* 2008;46:1438-42
231. Brown L and Fraser. Assay validation and biological variation of serum receptor for advanced glycation end-products. *Ann Clin Biochem* 2008;45:518-519
232. Alexander KS, Kazmierczak SC, Snyder CK, Oberdorf JA and Farrell DH. Prognostic utility of biochemical markers of cardiovascular risk: impact of biological variability. *Clin Chem Lab Med* 2013;51(9):1875-1882
233. Martínez-Morillo E, Diamandis A and Diamandis EP. Reference intervals and biological variation for kallikrein 6: influence of age and renal failure. *Clin Chem Lab Med* 2012;50(5):931–934
234. Ser seter M, Coskun A, Unsal I and Inal TC. Biological variation in pregnancy-associated plasma protein.A in healthy and non-pregnant women. *Clin Chem Lab Med* 2012;50(12):2239-2241
235. Apple FS, Murakami MM, Wians FH, Ler R, Kaczmarek JM and Wu AHB. Short-term biological variation of cardiac troponin I measured with three high-sensitive assays. *Clin Chem* 2011;57(10):C-05
236. Rossi E, Adams LA, Ching HL, Bulsara M, MacQuillan GC and Jeffrey GP. High biological variation of serum hyaluronic acid and hepascor, a biochemical marker model for the prediction of liver fibrosis. *Clin Chem Lab Med* 2012;51(5):1107-1114
237. Kristoffersen AH, Petersen PH and Sandberg S. A model for calculating the within-subject biological variation and likelihood ratios for analytes with a time-dependent change in concentrations; exemplified with the use of D-dimer in suspected venous thromboembolism in healthy pregnant women. *Ann Clin Biochem* 2012;49(6):561-569

238. Goldberg J, Iriarte B, Prostko J, Frias E, Ravalico T and Hebbar S. Short and long-term biological variability of troponin I determined using the Architect Stat high sensitive troponin-I assay. *Clin Chem* 2011;57(10):C-04
239. Wu AHB, Akhigbea P, Wians F. Long-term biological validation in cardiac troponin I. *Clin Biochem* 2012;45:714-716
240. Maes M, Mommen K, Hendrickx D, Peeters D, D'Hondt P, Ranjan R, De Meyer F and Scharpé S. Components of biological variation, including seasonality, in blood concentrations of TSH, TT3, FT4, PRL, cortisol and testosterone in healthy volunteers. *Clin Endocrinol* 1997;46:587-598
241. Andersson AM, Carlsen E, Petersen JH and Skakkebaek NS. Variation in levels of serum Inhibin B, testosterone, estradiol, luteinizing hormone, follicle-stimulating hormone and sex hormone binding globulin in monthly samples from healthy men during a 17-month period: possible effects of seasons. *J Clin Endocrinol Metab*, 2003;88(2):932-937
242. Orwoll E, Bell N, Nanes MS, Iqbal F, Flessland K, Pettinger M, Mallinak N and Cain D. Development of a reference range and determination of the intrasubject variability of NTx excretion in males. *ASBMR 19th Annual Meeting*, 1997. S505
243. Weiss S, Chesnut C, Eastell R, Flessland K, Cain D, Pettinger M and Mallinak M. Determination of the intrasubject variability in NTx excretion in postmenopausal women. *ASBMR 19th Annual Meeting*, 1997. S506
244. Lara Riegos J, Brambila E, Ake-Ku A, Villegas-Hernández V, Quintero-Carrillo C, Ortiz-Andrade R, Yza-Villanueva R, Torres-Romero J and Lozano-Zarain P. Short-term estimation and application of biological variation of small dense low-density lipoproteins in healthy individuals. *Clin Chem Lab Med* 2013;51(11):2167-2172
245. Mosca A, Paleari R, Wild B. Analytical goals for the determination of HbA2. *Clin Chem Lab Med* 2013;51:937-941
246. Pineda-Tenor E, Laserna-Mendieta EJ, Timón Zapata J, Rodelgo-Jiménez L, Ramos-Corral R, Recio montealegre A and Gómez Serranillos M. Biological variation and reference Cahnge Value ofcommon clinical chemistry and haematologic laboratory analytes in the elderly population. *Clin Chem Lab Med* 2013;51(4):851-862
247. Cummings ST and Fraser CG. Variability of capillary plasma glucose in healthy individuals in repeated 75g oral glucose tolerance tests. *Ann Clin Biochem* 1988; 25: 634-637

Note from the authors: Reference 113 has been eliminated.