

| Otros | |
|----------------------------|---|
| Magnitud biol. | Bibliografía |
| Antidepresivos tricíclicos | Mark W. Linder and Paul E. Keck, Jr. Standards of laboratory practice: antidepressant drug monitoring. Clin Chem 1998 ; 44(5): 1073-1084 |
| Digitoxina | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| Digoxina | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| Lidocaina | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| Procainamida | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| N acetilprocainamida | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| Quinidina | Roland Valdes et al. Standards of laboratory practice: cardiac drug monitoring. Clin Chem 1998 ; 44(5):1096-1109 |
| Vancomicina | Hammett-Stabler and Johns. Laboratory guidelines for monitoring of antimicrobial drugs. Clin Chem 1998 ; 44(5):1129-1140 |
| C3 | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| C4 | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| Albúmina | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| Proteína C reactiva | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| IgG | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| IgA | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| IgM | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| Transferrina | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| alfa 1 antitripsina | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| Haptoglobina | G. Töpfer et al. Samples: from patients to laboratories. 1998 BIOLOGICAL AND TECHICAL ASPECTS OF THE PREANALYTICAL PHASE IN CLINICAL CHEMISTRY AND LABORATORY MADICINA. FOURTH EXPERT SYMPOSIUM |
| Calcio ionico | A.B.T.J. Boink et al. Ann. Biol. Clin. , 1991 ,49, 434-438 |
| Gasometría | F. Rodríguez Cantalejo et al. Quim Clin 1999 ; 18 (3) 150-155. |
| Gasometría | M.Beaulieu et al. Stability of pO ₂ , pCO ₂ and pH in fresh blood samples stored in a plastic syringe with low heparin in relation to various blood-gas and hematological parameters. Clin Biochem 1999 ; 32(2):101-107 |
| PSA t, PSA free, ACT-PSA | Klaus Jung, Michael Lein et al. Different Stability of free and complexed prostate-specific antigen in ... Clin Chem Lab Med 2000 ; 38 (12) ; 1271-1275 . |
| PSA t, PSA free | Woodrum D, York L. Two-year stability of free and total PSA in frozen serum samples. Urology 1998 Aug ; 52(2): 247-251 |
| PSAt | Paus E et al. Stability of free and total prostate specific antigen in serum from patients .. J Urol 1998 May ;159 (5): 1599-1605. |

| | |
|-------------------------------------|--|
| Eritrosedimentacion | Imafuku Y et al. Automated measurement of erythrocyte sedimentation rate and its relation to... Haematol Cell Ther 1998 Feb ; 40(1) : 27-32 |
| Urinoanálisis | Froom P et al. Stability of common analytes in urine refrigerated for 24h before automated analysis by test strip. Clin Chem 2000 Sep ; 46(9): 1384-6 |
| Troponina cardiaca I | Zaman Z et al. Analytical and clinical performance of two cardiac troponin I immunoassays. Clin Chem Lab Med 1999 Sep ; 37(9): 889-897 |
| TP, TTPA (coagulacion) | Rao LV et al. Stability of prothrombin time and activated partial thromboplastin time tests under different storage conditions. Clin Chim Acta 2000 Oct ; 300 (1-2) : 13-21 |
| TP, TTPA, TT, | Heil W., et al. Influence of Time and Temperature on Coagulation Analytes in Stored Plasma. Clin Chem Lab Med 1998 ; 36(7):459-462 |
| Ácido láctico | H.M.C. McCaughan et al. The stability of lactate concentration in preserved blood microsamples. Int J Sports Med 2000 ; 21:37-40 |
| Ácido láctico | O.Noordally and J.L Vincent. Evaluation of a neww, rapid lactate analyzer in critical care. Intensive Care Med 1999 ; 25:508-513 |
| Factor V,VII,VIII,X,fibrinog, ATIII | E.M. O'Neill et al. Effect of 24-hour whole-blood storage on plasma clotting factors. Transfusion 1999 ; 39:488-491 |
| Recuento leucos automat. | P.C.M Bartels and M.Schoorl. Time dependent increase of differential monocyte count on the Sysmex NE-8000. Clin Lab Haem 1998 . 20:165-168 |